

Literature Cited

- ANDERSON, R. M., H. C. JACKSON, R. M. MAY, and A. M. SMITH. 1981. Population dynamics of fox rabies in Europe. *Nature* 289:765-771.
- AYCRIGG, J. L., and W. F. PORTER. 1997. Sociospatial dynamics of white-tailed deer in the central Adirondack Mountains, New York. *Journal of Mammalogy* 78:468-482.
- BAKER, D. L., and N. T. HOBBS. 1985. Emergency feeding of mule deer during winter: tests of a supplemental ration. *Journal of Wildlife Management* 49(4):934-942.
- BARLOW, N. D. 1996. The ecology of wildlife disease control: simple models revisited. *Journal of Applied Ecology* 33:303-314.
- BARTELJ, J., and D. MLADENOFF. 1995. Ecological function and productivity. Pages 54-56 in W. J. Vander Zouwen and D. K. Warnke, editors. *Wisconsin deer population goals and harvest management: environmental assessment*. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- BARTZ, J. C., A. E. KINCAID, and R. A. BESEN. 2003. Rapid prion neuroinvasion following tongue infection. *Journal of Virology* 77:583-591.
- BARTZ, J. C., R. F. MARSH, D. I. MCKENZIE, and J. M. AIKEN. 1998. The host range of chronic wasting disease is altered on passage in ferrets. *Virology* 251(2):297-301.
- BELAY, E. D., P. GAMBETTI, L. B. SCHONBERGER, P. PARCI, D. R. LYON, S. CAPELLARI, J. H. MCQUISTON, K. BRADLEY, G. DOWDLE, J. M. CRUTCHER, and C. R. NICHOLS. 2001. Creutzfeldt-Jakob disease in unusually young patients who consumed venison. *Archives of Neurology* 58:1673-1678. Abstract accessed at <http://archneur.ama-assn.org/issues/v58n10/abs/nob10126.html>.
- BLOUCH, R. I. 1984. Northern Great Lakes and Ontario forests. Pages 391-410 in L. K. Sowls, editor. *White-tailed deer: ecology and management*. Stackpole Books, Harrisburg, Pennsylvania, USA.
- BROSETH, H., and H. C. PEDERSEN. 2000. Hunting effort and game vulnerability on a small scale: a new technique combining radio-telemetry, GPS, and GIS. *Journal of Applied Ecology* 37:182-190.
- BROWN, P., and D. C. GAJDUSEK. 1991. Survival of scrapie virus after 3 years' interment. *Lancet* 337:269-270.
- BROWN, R. D. 2000. The dangers of using supplemental feeding to increase carrying capacity of land for deer. Manuscript to the Texas Chapter of the Society of Range Management.
- BRUCE, M. E., A. CHREE, I. MCCONNELL, J. FOSTER, G. PEARSON, and H. FRASER. 1994. Transmission of bovine spongiform encephalopathy and scrapie to mice: strain variation and species barrier. *Philosophical Transactions of the Royal Society of London B* 343:405-411.
- BRUCE, M. E., R. G. WILL, J. W. IRONSIDE, I. MCCONNELL, D. DRUMMOND, A. SUTTIE, L. MCCARDLE, A. CHREE, J. HOPE, C. BIRKETT, S. COUSENS, H. FRASER, and C. J. BOSTOCK. 1997. Transmissions to mice indicate that 'new variant' CJD is caused by the BSE agent. *Nature* 389:498-501.
- BRUCE, M. E., A. CHREE, E. S. WILLIAMS, and H. FRASER. 2000. Perivascular PrP amyloid in the brains of mice infected with chronic wasting disease. *Brain Pathology* 10:662-663.
- CARY, J. 2002. Chronic wasting disease modeling in Wisconsin. *Chronic Wasting Disease Symposium* Abstract only, Denver, Colorado, USA.

- CHOQUENOT, D., J. HONE, and G. SAUNDERS. 1999. Using aspects of predator-prey theory to evaluate helicopter shooting for feral pig control. *Wildlife Research* 26:251-261.
- COE, P. K., R. E. RACE, and J. M. ROSS. 2001. Serological evidence for an inflammatory response in murine scrapie. *Journal of Infectious Diseases* 183:185-191.
- COLORADO DIVISION OF WILDLIFE. 2002. Chronic wasting disease.
http://wildlife.state.co.us/cwd/cwdbrochure_6-02.pdf [Accessed 15 April 2002.] .
- DAHLBERG, B. L., and R. C. GUETTINGER. 1956. The white-tailed deer in Wisconsin. Wisconsin Conservation Department Technical Bulletin 14.
- DAVIDSON, W. R. 1981. Disease prevention and control. Pages 424-433 *in* W. R. Davidson, editor. Diseases and parasites of white-tailed deer. Tall Timbers Research Station, Tallahassee, Florida, USA.
- DAWSON, G. A. 1988. Artificial feeding/baiting of white-tailed deer. Assessment of status in states and provinces. Unpublished Survey, The Wildlife Society.
- DENICOLA, A. J., S. J. WEBER, C. A. BRIDGES, and J. L. STOKES. 1997. Nontraditional techniques for management of averabundant deer populations. *Wildlife Society Bulletin* 25(2):496-499.
- DENICOLA, A. J., K. C. VERCAUTEREN, P. D. CURTIS, and S. E. HYGNSTROM. 2000. Managing white-tailed deer in suburban environments. Technical Guide Cornell Cooperative Extension.
- DICKINSON, A. G., and G. W. OUTRAM. 1979. The scrapie replication-site hypothesis and its implications for pathogenesis. Pages 13-32 *in* S. B. Prusiner and W. J. Hadlow, editors. Slow transmissible diseases of the nervous system. Volume 2. Academic Press, New York, USA.
- DITCHKOFF, S. S., and F. A. SERVELLO. 1998. Litterfall: an overlooked food source for wintering white-tailed deer. *Journal of Wildlife Management* 62:250-255.
- DOENIER, P. B., G. D. DELGUIDICE, and M. R. RIGGS. 1997. Effects of winter supplemental feeding on browse consumption by white-tailed deer. *Wildlife Society Bulletin* 25:235-243.
- EDWARDS, J. 1995. Small mammals. Wisconsin deer population goals and harvest management: environmental assessment. Pages 33-37 *in* W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- ETTER, D. R., K. M. HOLLIS, T. R. VAN DEELEN, D. R. LUDWIG, J. E. CHELSVIG, C. L. ANCHOR, and R. E. WARNER. 2002. Survival and movements of white-tailed deer in suburban Chicago, Illinois. *Journal of Wildlife Management* 66:500-510.
- FLETCH, A. L. 1970. Foot-and-mouth disease. Pages 68-75 *in* J. W. Davis, L. H. Karstad, and D. O. Trainer, editors. Infectious diseases of wild mammals. Iowa State University Press, Ames, Iowa, USA.
- FOWLER, R. 2002a. South Dakota surveillance and monitoring program. Chronic Wasting Disease Symposium Abstract only, Denver, Colorado, USA.
- FOWLER, R. 2002b. Policies and strategies for managing chronic wasting disease. Chronic Wasting Disease Symposium Abstract only, Denver, Colorado, USA.
- FRAWLEY, B. J. 2002. Deer baiting in the northeast Lower Peninsula of Michigan. Michigan Department of Natural Resources Wildlife Division Report 3372.

- FREELAND, W. J., and W. J. BOULTON. 1990. Feral water buffalo (*Bubalus bubalis*) in the major floodplains of the "Top End", Northern Territory, Australia: population growth and the Brucellosis and Tuberculosis Eradication Campaign. Australian Wildlife Research 17:411-420.
- GARNER, M. S. 2001. Movement patterns and behavior at winter feeding and fall baiting stations in a population of white-tailed deer infected with bovine tuberculosis in the northeastern lower peninsula of Michigan. Dissertation, Michigan State University, East Lansing, USA.
- GREAT LAKES INDIAN FISH AND WILDLIFE COMMISSION. 1991. A guide to understanding Chippewa Treaty Rights. Great Lakes Indian Fish and Wildlife Commission.
- GROSS, J. E., and M.W. MILLER. 2001. Chronic wasting disease in mule deer: disease dynamics and control. Journal of Wildlife Management 65(2):205-215.
- HADLOW, W. J. 1996. Differing nuerohistologic images of scrapie, transmissible mink encephalopathy, and chronic wasting disease of mule deer and elk. Pages 122-137 in C. J. Gibbs, Jr., editor. Bovine spongiform encephalopathy: the BSE dilemma. Springer-Verlag, New York, USA.
- HAMIR, A. N., R. C. CUTLIP, J. M. MILLER, E. S. WILLIAMS, M. J. STACK, M. W. MILLER, K. I. O'ROURKE, and M. J. CHAPLIN. 2001. Preliminary findings on the experimental transmission of chronic wasting disease agent of mule deer to cattle. Journal of Veterinary Diagnostic Investigation 13:91-96.
- HARELSON, T. 2001. Deer Gun Season Report. Intra-Department Memo to Darrell Bazzell, Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- HENDERSON, R. 1995. Invertebrates. Pages 28-30 in W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin deer population goals and harvest management: environmental assessment. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- HIRTH, D. H. 1977. Social behavior of white-tailed deer in relation to habitat. Wildlife Monographs 53:1-55.
- HOBBS N. T., D. C. BOWDEN, and D. L. BAKER. 2000. Effects of fertility control on populations of ungulates: general stage-structured models. Journal of Wildlife Management 64:473-491.
- HOFFMAN, R. 1995. Birds. Pages 38-42 in W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin deer population goals and harvest management: environmental assessment. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- HONE, J. 1990. Predator-prey theory and feral pig control, with emphasis on evaluation of shooting from helicopter. Australian Wildlife Research 17:123-130.
- HUNTER, N., J. D. FOSTER, and J. HOPE. 1992. Natural scrapie in British sheep: breeds, ages and PrP gene polymorphisms. Veterinary Record 130:389-392.
- HURLEY, S. S. 1995. Disease Transmission. Pages 110-111 in W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin deer population goals and harvest management environmental assessment. Wisconsin Department of Natural Resources.
- INTER-AGENCY HEALTH AND SCIENCE TEAM. 2002. Chronic Wasting Disease management recommendation: regulation of baiting and feeding. Madison, Wisconsin, USA.
- INTERNATIONAL ASSOCIATION OF FISH AND WILDLIFE AGENCIES. 1997. The Economic Importance of Hunting. Produced by Southwick Associates, Fernandina Beach, Florida, USA.
- ISHMAEL, W. E. 1984. White-tailed deer ecology and management in southern Wisconsin. Thesis, University of Wisconsin, Madison, USA.

- ISHMAEL, W. E., D. E. KATSMA, T. A. ISAAC, and B. K. BRYANT. 1995. Live-capture and translocation of suburban white-tailed deer in River Hills, Wisconsin. Pages 87-96 in J. B. McAninch, editor. Urban deer: a manageable resource? Proceedings of the 1993 Symposium of the North Central Section, The Wildlife Society.
- ISHMAEL, W. E., and O. J. RONGSTAD. 1984. Economics of an urban deer-culling program. *Wildlife Society Bulletin* 12:394-398.
- JOBLING, S., and J. SUMPTER. 1994. Detergent components in sewage effluent are weakly oestrogenic to fish: an in vitro study using rainbow trout (*Onchorhynchus mykiss*) hepatocytes. *Aquatic Toxicology* 27:361-372.
- JOHNSON, C. J. JOHNSON, M. CLAYTON, D. MCKENZIE, and J. AIKEN. In preparation. Prion protein gene heterogeneity in free-ranging white-tailed deer within the chronic wasting disease endemic region of Wisconsin.
- JONES, J. M., and J. H. WITHAM. 1995. Urban deer "problem solving" in Northeast Illinois. An overview. Pages 58-65 in J. B. McAninch, editor. Urban deer: a manageable resource? Proceedings of the 1993 Symposium of the North Central Section, The Wildlife Society.
- JORDAN, P. A., R. A. MOEN, E. J. DEGAYNER, and W. C. PITTS. 1995. Trap-and-Shoot and sharpshooting methods for control of urban deer: the case history of North Oaks, Minnesota. Pages 97-104 in J. B. McAninch, editor. Urban deer: a manageable resource? Proceedings of the 1993 Symposium of the North Central Section, The Wildlife Society.
- KERNOHAN, B. J., J. A. JENKS, and D. E. NAUGLE. 1994. Movement patterns of white-tailed deer at Sand Lake National Wildlife Refuge, South Dakota. *Prairie Naturalist* 26:293-300.
- KILPATRICK, H. J., and W. A. STOBER. 2002. Effects of temporary bait sites on movement of suburban white-tailed deer. *Wildlife Society Bulletin* 30(3):760-766.
- KIRKPATRICK, J. F., and J. W. TURNER JR. 1997. Urban deer contraception: the seven stages of grief. *Wildlife Society Bulletin* 25:515-519.
- KUBISIAK, J. F., K. R. MCCAFFERY, W.A. CREED, T. A. HEBERLEIN, R. C. BISHOP, and R.E. ROLLEY. 2001. Sandhill whitetails: providing new perspective for deer management. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- LANGENAU, E. E. JR., E. J. FLEGLER, JR., and H. R. HILL. 1985. Deer hunters' opinion survey, 1984. Michigan Department of Natural Resources Wildlife Division Report 3012.
- LARSON, T. J. 1974. Movement and habitat use of white-tailed deer in southcentral Wisconsin. Thesis, University of Wisconsin, Madison, USA.
- LEOPOLD, A. 1933. Game management. Charles Scribner's Sons, New York, USA.
- LEWIS, T. L. 1990. The effects of supplemental feeding on white-tailed deer in northwestern Wisconsin. Dissertation, University of Wisconsin, Madison, USA.
- LINHART, S. B., A. KAPPELER, and L. A. WINDBERG. 1997. A review of baits and bait delivery systems for free-ranging carnivores and ungulates. Pages 69-132 in *Contraception in wildlife management*. United States Department of Agriculture, Animal Plant Health Inspection Service Technical Bulletin 1853.
- MACDONALD, D. W., and D. R. VOIGT. 1985. The biological basis of rabies models. Pages 71-108 in P. J. Bacon, editor. *Population dynamics of rabies in wildlife*. Academic Press, London, England.

- MACINNES, C. D. 1987. Rabies. Pages 910-929 in M. Novak, J. A. Baker, M. E. Obbard, and B. Malloch, editors. Wild furbearer management and conservation in North America. Ontario Trappers Association, Nort Bay, Canada.
- MAINE DEPARTMENT OF INLAND FISHERIES AND WILDLIFE. 2002. CWD fact sheet, Orono, Maine, USA.
- MARCHINTON, R. L., and D. H. HIRTH. 1984. Behavior. pp. 129-168 in L. K. Sowls, editor. White-tailed deer: ecology and management. Stackpole Books, Harrisburg, Pennsylvania, USA.
- MARQUIS, D. A. 1981. Effect of deer browsing on timber production in Allegheny hardwood forests of northwestern Pennsylvania. United States Department of Agriculture Forest Service Research Paper NE-475.
- MARSHALL, B. 1999. Sowing bitter seed: part 3 - the baiting debate. Field and Stream July 1999:43-48.
- MARTIN, M. 1995. Native herbaceous plants. Wisconsin deer population goals and harvest management: environmental assessment. Pages 13-22 in W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- MASON, J. R., N. J. BEAN, L. S. KATZ, and H. HALES. 1997. Development of a bait for the oral delivery of pharmaceuticals to white-tailed deer (*Odocoileus virginianus*). Pages 59-67 in Contraception in wildlife management. United States Department of Agriculture, Animal Plant Health Inspection Service Technical Bulletin 1853.
- MATHEWS, N. E. 1993. Effect of social structure on genetic structure of free-ranging white-tailed deer in the Adirondack Mountains. Journal of Mammalogy 74:33-43.
- MATHEWS, N. E., 1989. Social structure, genetic structure, and anti-predator behavior of free-ranging white-tailed deer in the central Adirondacks. Dissertation. State University of New York, College of Environmental Science and Forestry, Syracuse, NY, USA.
- MCCAFFERY, K. R. 1995. History of deer populations in northern Wisconsin. Pages 109-114 in G. Mroz and J. Martin, editors. Proceedings of the Hemlock Ecology and Management Conference, Michigan Technological University, USA.
- MCCAFFERY, K. R., J. E. ASHBRENNER, and R. E. ROLLEY. 1998. Deer reproduction in Wisconsin. Transactions of the Wisconsin Academy of Sciences, Arts and Letters 86:249-261.
- MCCARTY, C. W. AND M. W. MILLER. 1998. A versatile model of disease transmission applied to forecasting bovine tuberculosis in white-tailed deer populations. Journal of Wildlife Diseases 34(4):722-730.
- MCCULLOUGH, D. R. 1979. The George Reserve deer herd: population ecology of a K-selected species. The University of Michigan Press, Ann Arbor, Michigan, USA.
- MCSHEA, W. J., H. B. UNDERWOOD, and J. H. RAPPOLE, EDITORS 1997. The science of overabundance: deer ecology and population management. Smithsonian Institution Press, Washington D.C., USA.
- MILLER, L. A., B. E. JOHNS, and D. J. ELIAS. 1998. Immunocontraception as a wildlife management tool: some perspectives. Wildlife Society Bulletin 26:237-243.
- MILLER, M. W., and E.S. WILLIAMS. 2002. Detecting PrP^{CWD} in mule deer by immunohistochemistry of lymphoid tissues. Veterinary Record 151:in press.

- MILLER, M. W., M. A. WILD, and E. S. WILLIAMS. 1998. Epidemiology of chronic wasting disease in captive Rocky Mountain elk. *Journal of Wildlife Diseases* 34(3):532-538.
- MILLER M. W., E. S. WILLIAMS, C. W. MCCARTY, T. R. SPRAKER, T. J. KREEGER, C. T. LARSEN, and E. T. THORNE. 2000. Epizootiology of chronic wasting disease in free-ranging cervids in Colorado and Wyoming. *Journal of Wildlife Diseases* 36:676-690.
- MLADENOFF, D. 1995. Woody plants. Pages 23-27 in W. J. Vander Zouwen and D. K. Warnke, editors. Wisconsin deer population goals and harvest management: environmental assessment. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- MOEN, A. N. 1976. Energy conservation by white-tailed deer in the winter. *Ecology* 57:192-197.
- MORRISON, B. 2002. Distribution and status of chronic wasting disease in Nebraska. *Chronic Wasting Disease Symposium Abstract only*, Denver, Colorado, USA.
- MULLER, L. I., R. J. WARREN, and D. L. EVANS. 1997. Theory and practice of immunocontraception in wild mammals. *Wildlife Society Bulletin* 25:504-514.
- NATIONAL CWD PLAN IMPLEMENTATION COMMITTEE. 2002. Implementation document for plan for assisting states, federal agencies and tribes in managing chronic wasting disease in wild and captive cervids. *Nebraska Game and Parks Commission Draft 1*.
- NEBRASKA GAME AND PARKS COMMISSION. 2002. General Information on CWD. <http://www.ngpc.state.ne.us/wildlife/cwd/cwdgeneral.html> [Accessed 04 October 2002.]
- NELSON, C. M., and A. SCHOMAKER. 1996. Characteristics, attitudes, preferences and behaviors of private, non-industrial southern Michigan landowners of >10 acres concerning white-tailed deer. Michigan Department of Natural Resources, Wildlife Division PR Project Report W-127-R.
- NELSON, M. E. 1993. Natal dispersal and gene flow in white-tailed deer in northeastern Minnesota. *Journal of Mammalogy* 74:316-322.
- NEW MEXICO DEPARTMENT OF GAME AND FISH. 2002. New Mexico deer tests positive for chronic wasting disease. http://www.gmfish.state.nm.us/PageMill_Text/Publication/6-19-02nr.html [Accessed 10 October 2002.]
- NIXON, C. M., L. P. HANSON, P. A. BREWER, and J. E. CHELSVIG. 1991. Ecology of white-tailed deer in an intensively farmed region of Illinois. *Wildlife Monographs* 118:1-77.
- O'BRIEN, D. J., S.M. SCHMITT, J.S. FIERKE, S.A. HOGLE, S.R. WINTERSTEIN, T.M. COOLEY, W.E. MORITZ, K.L. DIEGEL, S.D. FITZGERALD, D.E. BERRY, and J.B. KANEENE. 2002. Epidemiology of *Mycobacterium bovis* in free-ranging white-tailed deer, Michigan, USA, 1995-2000. *Preventive Veterinary Medicine* 54:47-63.
- O'BRIEN, T. F. 1976. Seasonal movement and mortality of white-tailed deer in Wisconsin. Thesis, University of Wisconsin, Madison, USA.
- O'ROURKE, K. I., G. R. HOLYOAK, W. W. CLARK, J. R. MICKELSON, S. WANG, R. P. MELCO, T. E. BESSER, and W. C. FOOTE. 1997. PrP genotypes and experimental scrapie in orally inoculated Suffolk sheep in the United States. *Journal of General Virology* 78:975-978.
- O'ROURKE K. I., T.E. BESSER, M. W. MILLER, T. F. CLINE, T. R. SPRAKER, A. L. JENNY, M. A. WILD, G. L. ZEBARTH, and E. S. WILLIAMS. 1999. PrP genotypes of captive free-ranging Rocky Mountain elk (*Cervus elaphus nelsoni*) with chronic wasting disease. *Journal of General Virology* 80:2765-2769.

- OHLSON, B. 2002. Executive Director of Wisconsin Corn Growers Association. Testimony before the Natural Resources Board in August. Racine, Wisconsin, USA.
- OLSON, P. 1981. Sylvatic Plague. Second edition. Pages 232-243 in J. W. Davis, L. H. Karstad, and D. O. Trainer, editors. Infectious diseases of wild mammals. Iowa State University, Ames, Iowa, USA.
- OZOGA, J. J., and L. J. VERME. 1982. Physical and reproductive characteristics of a supplementally fed white-tailed deer herd. *Journal of Wildlife Management* 46(2):281-301.
- PALMER, D. T., D. A. ANDREWS, R. O. WINTERS, and J. W. FRANCIS. 1980. Removal techniques to control an enclosed deer herd. *Wildlife Society Bulletin* 8:29-33.
- PETCHENIK, J. 1993. Deer baiting in Wisconsin: a survey of Wisconsin deer hunters. Unpublished Survey Report, Wisconsin Department of Natural Resources.
- PETCHENIK, J. 1994. Deer baiting in Wisconsin: a survey of voters at the 1994 spring wildlife and fish rules hearings. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- PETERSON, M. J., M.D. SAMUEL, V.F. NETTLES, G. WOBESER, and W.D. HUESTON. 2002. Review of chronic wasting disease management policies and programs in Colorado. Unpublished Report, Colorado Division of Wildlife, Denver, Colorado, USA.
- PICCOLO, B. P. 2001. Mortality and behavior of white-tailed deer neonates in suburban Chicago, Illinois. Thesis, University of Illinois at Urbana-Champaign, Illinois, USA.
- PUTMAN, R. 1988. The natural history of deer. Cornell University Press, Ithica, NY, USA.
- PYBUS, M. J. 1988. Rabies and rabies control in striped skunks (*Mephitis mephitis*) in three prairie regions of western North America. *Journal of Wildlife Diseases* 24:434-449.
- RACE, R. E., A. RAINES, R. CUTLIP, M. W. MILLER, A. JENNY, and E. S. WILLIAMS. In review. Disease associated prion protein immunoblot profiles in brain and lymphoid tissues of CWD affected deer and elk, and brain of scrapie affected sheep and cattle. *Journal of General Virology* manuscript submitted.
- RAYMOND, G. J., J. HOPE, D. A. KOCISKO, S. A. PRIOLA, L. D. RAYMOND, A. BOSSERS, J. IRONSIDE, R. G. WILL, S. G. CHEN, R. B. PETERSEN, P. GAMBETTI, R. RUBENSTEIN, M. A. SMITS, P. T. LANSBURY, JR., and B. CAUGHEY. 1997. Molecular assessment of the potential transmissibilities of BSE and scrapie to humans. *Nature* 388:285-288.
- RAYMOND, G. J., A. BOSSERS, L. D. RAYMOND, K. I. O'ROURKE, L. E. MCHOLLAND, P. K. BRYANT III, M. W. MILLER, E. S. WILLIAMS, M. SMITS, and B. CAUGHEY. 2000. Evidence of a molecular barrier limiting susceptibility of humans, cattle and sheep to chronic wasting disease. *The European Molecular Biology Organization Journal* 19:4425-4430.
- RIDPATH, M. G., and J. WAITHMAN. 1988. Controlling feral Asian water buffalo in Australia. *Wildlife Society Bulletin* 16:385-390.
- ROLLEY, R. E. 2002. White-tailed deer population status. Wisconsin Department of Natural Resources Wisconsin Wildlife Surveys April 2002 12(2):20-26.
- RONGSTAD, O. J., and R. A. MCCABE. 1984. Capture techniques. Pages 655-676 in L. K. Sowls, editor. *White-tailed deer: ecology and management*. Stackpole Books, Harrisburg, Pennsylvania, USA.
- ROSATTE, R. C., M. J. PYBUS, and J. R. GUNSON. 1986. Population reduction as a factor in the control of skunk rabies in Alberta. *Journal of Wildlife Diseases* 22:459-467.

- SAFAR, J., H. WILLE, V. ITRI, D. GROTH, H. SERBAN, M. TORCHIA, F. E. COHEN, and S. B. PRUSINER. 1998. Eight prion strains have PrP^{SC} molecules with different conformations. *Nature Medicine* 4:1157-1165.
- SAFAR, J., F. E. COHEN, and S. B. PRUSINER. 2000. Quantitative traits of prion strains are enciphered in the conformation of the prion protein. *Archives of Virology Supplement* 16:227-235.
- SAUNDERS, G., and H. BRYANT. 1988. The evaluation of a feral pig eradication program during a simulated exotic disease outbreak. *Australian Wildlife Research* 15:73-81.
- SCHEMNITZ, S. D. 1996. Capturing and handling wild animals. Pages 106-124 in T. A. Bookhout, editor. *Research and management techniques for wildlife and habitats*. Fifth edition. The Wildlife Society, Bethesda, Maryland, USA.
- SCHMITT, S. M., S. D. FITZGERALD, T. M. COOLEY, C. S. BRUNNING-FANN, L. SULLIVAN, D. BERRY, T. CARLSON, R. B. MINNIS, J. B. PAYEUR, and J. SIKARSKIE. 1997. Bovine tuberculosis in free-ranging white-tailed deer from Michigan. *Journal of Wildlife Diseases* 33(4):749-758.
- SCHWEITZER, S. H., C. F. QUIST, G. L. GRIMES, and D. L. FORSTER. 2001. Aflatoxin levels in corn available as wild turkey feed in Georgia. *Journal of Wildlife Diseases* 37(3):657-659.
- SCOTT, G. R. 1981. Rinderpest. Pages 18-30 in J. W. Davis, L. H. Karstad, and D. O. Trainer , editors. *Infectious diseases of wild mammals*. Second edition. Iowa State University, Ames, Iowa, USA.
- SIGURDSON, C. J., E. S. WILLIAMS, M. W. MILLER, T. R. SPRAKER, K. I. O'Rourke, and E. A. HOOVER. 1999. Oral transmission and early lymphoid tropism of chronic wasting disease PrP^{res} in mule deer fawns (*Odocoileus hemionus*). *Journal of General Virology* 80:2757-2764.
- SIGURDSON , C. J., T. R. SPRAKER, M.W. MILLER, B. OESCH, and E. A. HOOVER. 2001. PrP^{CWD} in the myenteric plexus, vagosympathetic trunk and endocrine glands of deer with chronic wasting disease. *Journal of General Virology* 82:2327-2334.
- SIMON, D. E. 1986. Density, migration and mortality patterns of white-tailed deer using a sanctuary in southeastern Minnesota. Thesis, University of Minnesota, USA.
- SOUTHEAST COOPERATIVE WILDLIFE DISEASE STUDY. 2002. Special CWD issue. SCWDS Briefs 18 (1):1-17. College of Veterinary Medicine, University of Georgia, Athens.
- SPRAKER, T. R., R.R. ZINK, B.A. CUMMINGS, M.A. WILD, M.W. MILLER, and K.I. O'ROURKE. 2002. Comparison of histological lesions and immunohistochemical staining of proteinase resistant prion protein in a naturally-occurring spongiform encephalopathy of free-ranging mule deer (*Odocoileus hemionus*) with those of chronic wasting disease of captive mule deer. *Veterinary Pathology* 39:110-119.
- THACKRAY, A. M., M. A. KLEIN, A. AGUZZI, and R. BUJOSO. 2002. Chronic subclinical prion disease induced by low-dose inoculum. *Journal of Virology* 76(5):2510-2517.
- THIEDE, K. A. 2001. Wisconsin Natural Resources Board special committee on deer baiting and feeding final report and recommendations. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- THORNE, E. T., M. W. MILLER, S. M. SCHMITT, T. J. KREEGER, and E. S. WILLIAMS. 2000. Conflicts of authority and strategies to address wildlife disease. Proceedings of the United States Animal Health Association. <http://www.usaha.org/speeches/speech00/s00thorn.html> [Accesed 01 November 2002.]
- URBAN DEER TASK FORCE. 1994. Wisconsin Department of Natural Resources. Report.

- VAN DEELEN, T. R., and D. R. ETTER. In Press. Effort and the functional response of deer hunters. *Human Dimensions of Wildlife*.
- VAN DEELEN, T. R., H. CAMPA III, J. B. HAUFER, and P. D. THOMPSON. 1997. Mortality patterns of white-tailed deer in Michigan's Upper Peninsula. *Journal of Wildlife Management* 61:903-910.
- VAN DEELEN, T. R., H. CAMPA, M. HAMADY, and J.B. HAUFER. 1998. Migration and seasonal range dynamics of deer using adjacent deeryards in northern Michigan. *Journal of Wildlife Management* 62:205-213.
- VANDER ZOUWEN, W. J. 1998. Preserving Wisconsin's Outdoor Legacy. Wisconsin Department of Natural Resources Publication-WM-273.
- VANDER ZOUWEN, W. J., and D. K. WARNKE, EDITORS. 1995. Deer population goals and harvest management: environmental assessment. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- VEITCH, C. R. 2000. Management of exotic vertebrates: some of the New Zealand experience. Pages 154-159 in T. P. Salmon and A. C. Crabb, editors. *Proceedings of the 19th Vertebrate Pest Conference*, University of California, Davis, USA.
- VER STEEG, J. 2002. Chronic wasting disease update. Colorado Division of Wildlife. <http://wildlife.state.co.us/hunt/HunterEducation/chronicupdate.asp> [Accessed January 2003.]
- VIEIRA, M. 2001. Red Feather-Poudre Canyon deer herd management plan. Data Analysis Unit D-4, Colorado Division of Wildlife. <http://wildlife.state.co.us/hunt/DeerMngmtPlans/RedFeather.pdf> [Draft, Accessed 04 October 2002.]
- VIEIRA, M., and J. GEORGE. 2001. Big Thompson deer herd management plan. Data Analysis Unit D-10, Colorado Division of Wildlife. <http://wildlife.state.co.us/hunt/DeerMngmtPlans/BigThompson.pdf> [Draft, Accessed 04 October 2002.]
- WALLER, D. M., and W. S. ALVERSON. 1997. The white-tailed deer: a keystone herbivore. *Wildlife Society Bulletin* 25(2):217-226.
- WALTER, W. D., P. J. PEKINS, A. T. RUTBERG, and H. J. KILPATRICK. 2002. Evaluation of immunocontraceptive adjuvants, titers, and fecal pregnancy indicators in free-ranging white-tailed deer. *Wildlife Society Bulletin* 30:908-914.
- WALTERS, C. J. 1986. Adaptive management of renewable resources. MacMillian Press, New York. 374 pp.
- WEGNER, R. 1993. To bait or not to bait: the debate roars on. *Deer and Deer Hunting* March:24-31.
- WHIPPLE, D. L., and M. V. PALMER. 2000. Survival of *Mycobacterium bovis* on feeds used for baiting white-tailed deer (*Odocoileus virginianus*) in Michigan. *Proceedings of the 49th Annual Wildlife Disease Association Conference*. Page 21.
- WHITCOMB, S. D. 1999. Deer baiting issues in Michigan. Michigan Department of Natural Resources, Wildlife Division Issue Review Paper 5.
- WILD, M. A., T. R. SPRAKER, C. J. SIGURDSON, K. I. O'Rourke, and M. W. MILLER. 2002. Preclinical diagnosis of chronic wasting disease in captive mule deer (*Odocoileus hemionus*) and white-tailed deer (*Odocoileus virginianus*) using tonsillar biopsy. *Journal of General Virology* 83:2629-2634.

- WILLIAMS, E. S., J.K. KIRWOOD, and M.W. MILLER. 2001. Transmissible spongiform encephalopathies. Pages 292-301 in E.S. Williams and I.K. Barker, editors. Infectious diseases of wild mammals. Third edition. Iowa State University Press, Ames, Iowa, USA.
- WILLIAMS, E. S., M. W. MILLER, T. J. KREEGER, R. H. KAHN, and E. T. THORNE. 2002a. Chronic wasting disease of deer and elk: a review with recommendations for management. *Journal of Wildlife Management* 66(3):551-563.
- WILLIAMS, E. S., M. W. MILLER, and E. T. THORNE. 2002b. Chronic wasting disease: implications and challenges for wildlife managers. *Transactions of the North American Wildlife and Natural Resources Conference* 67: in press.
- WILLIAMS, E. S., and S. YOUNG. 1980. Chronic wasting disease of captive mule deer: a spongiform encephalopathy. *Journal of Wildlife Diseases* 16:89-98.
- WILLIAMS, E. S., and S. YOUNG. 1992. Spongiform encephalopathies of Cervidae. *Revue Scientifique et Technique* 11:551-567.
- WILLIAMS, E. S., and S. YOUNG. 1993. Neuropathology of CWD of mule deer and elk. *Veterinary Pathology* 30:36-45.
- WINTERSTEIN, S. R. 1992. Michigan deer hunter opinion survey. Michigan Department of Natural Resources Annual Report Project W-127-R.
- WISCONSIN CONSERVATION CONGRESS. 2001. Final report of the herd size study group. Deer Management for 2000 and Beyond.
<http://www.dnr.state.wi.us/org/land/wildlife/HUNT/DEER/Deer2000/herdsizerept.pdf> [Accessed 06 January 2003.]
- WISCONSIN DEPARTMENT OF HEALTH AND FAMILY SERVICES. 2002. Lab findings released on fatal cases on neurological diseases in outdoorsmen. News Release, 11/21/02.
- WISCONSIN DEPARTMENT OF NATURAL RESOURCES. 1990-2001. Hunting accident report in Wisconsin Wildlife Surveys.
- WISCONSIN DEPARTMENT OF NATURAL RESOURCES. 1998. Wisconsin's deer management program: the issues involved in decision-making. Second edition. Publication SS-931-98, Madison, Wisconsin, USA.
- WISCONSIN DEPARTMENT OF NATURAL RESOURCES. 2001. Management workbook for white-tailed deer. Second edition. Madison, Wisconsin, USA.
- WISCONSIN DEPARTMENT OF NATURAL RESOURCES. 2002. Potential impacts of baiting prohibition on Wisconsin hunters. Pamphlet, Madison, Wisconsin, USA.
- WOBESER, G. A. 1994. Investigation and management of disease in wild animals. Plenum Press, New York, USA.
- WOBESER, G. A. 2002. Disease management strategies for wildlife. *Office of International Epizootics Scientific and Technical Review* 21(1):159-178.
- WOLFE, L. L., M. M. CONNER, T. H. BAKER, V. J. DREITZ, K. P. BURNHAM, E.S. WILLIAMS, N.T. HOBBS, and M.W. MILLER. 2002. Evaluation of antemortem sampling to estimate CWD prevalence in free-ranging mule deer. *Journal of Wildlife Management* 66:564-573.

- WORLD HEALTH ORGANIZATION. 1999. World Health Organization Consultation on Public Health and Animal Transmissible Spongiform Encephalopathies: Epidemiology, Risk and Research Requirements. Geneva, Switzerland.
- WOZENCRAFT, W. C. 1978. Investigations concerning a high density white-tailed deer population in south central Wisconsin. Thesis, University of Wisconsin, Madison, USA.
- WYDEVEN, A. P., and J. E. WIEDENHOEFT. 2002. Status of the timber wolf in Wisconsin. Bureau of Endangered Resources Report 121, Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.
- WYOMING GAME AND FISH DEPARTMENT. 2002. Chronic wasting disease management plan.
<http://gf.state.wy.us/HTML/hunting/CWDplan.htm> [Accessed 04 October 2002.]
- YUILL, T. M. 1981. Myxomatosis and fibromatosis. Pages 154-177 *in* J. W. Davis, L. H. Karstad, and D.O. Trainer, editors. Infectious diseases of wild mammals. Second edition. Iowa State University Press, Ames, Iowa, USA.
- ZASTROW, D. 1995. Forest Industry. Pages 93-97 *in* W. J. Vander Zouwen and D. K. Warnke, editors. Deer population goals and harvest management: environmental assessment. Wisconsin Department of Natural Resources, Madison, Wisconsin, USA.